


Appendix B: Eastern Island Testmark Laboratories Ltd. Certificates



CERTIFICATE OF ANALYSIS

Work Order Number: 498502

Cole-Munro Trout Farms Inc

WORK ORDER RESULTS

Sample Description	MI - 5	MI - 4	MI - 3	MI - 1
Sample Date	5/8/2023 12:40 PM	5/8/2023 12:45 PM	5/8/2023 12:45 PM	5/8/2023 12:58 PM
Lab ID	1878178	1878179	1878180	1878181
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	MDL	MDL	MDL	MDL
	<0.001	0.001	<0.001	<0.001
Units	mg/L	mg/L	mg/L	mg/L
Sample Description	MI - 2	STN 1 - NW	STN 4 - NW	STN 5 - NW
Sample Date	5/8/2023 12:45 PM	5/8/2023 1:02 PM	5/8/2023 11:36 AM	5/8/2023
Lab ID	1878182	1878183	1878184	1878185
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	MDL	MDL	MDL	MDL
	<0.001	<0.001	<0.001	0.001
Units	mg/L	mg/L	mg/L	mg/L
Sample Description	STN 3 - NW	STN 2 - NW	EI - 6	EI - 4
Sample Date	5/8/2023 11:44 AM	5/8/2023 1:20 PM	5/8/2023 11:15 AM	5/8/2023
Lab ID	1878186	1878187	1878188	1878189
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	MDL	MDL	MDL	MDL
	0.001	0.004	<0.001	<0.001
Units	mg/L	mg/L	mg/L	mg/L
Sample Description	EI - 3	EI - 2	EI - 1	EI - 5
Sample Date	5/8/2023	5/8/2023 9:32 AM	5/8/2023 9:32 AM	5/8/2023 10:20 AM
Lab ID	1878190	1878191	1878192	1878193
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	MDL	MDL	MDL	MDL
	<0.001	<0.001	<0.001	0.002
Units	mg/L	mg/L	mg/L	mg/L

Date of Issue: 05/16/2023 17:13

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 6



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 499156

WORK ORDER RESULTS

Sample Description	Stn 1 - Mink	Stn 2 - Mink	Stn 3 - Mink	Stn 4 - Mink
Sample Date	5/15/2023	5/15/2023	5/15/2023	5/15/2023
Lab ID	1880375	1880376	1880377	1880378
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	0.004	0.005	0.003	0.004
	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
	Units	Units	Units	Units
	mg/L	mg/L	mg/L	mg/L

Sample Description	Stn 5 - Mink	Stn 1 - EI	Stn 2 - EI	Stn 3 - EI
Sample Date	5/15/2023	5/15/2023	5/15/2023	5/15/2023
Lab ID	1880379	1880380	1880381	1880382
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	0.004	0.003	0.003	<0.001
	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
	Units	Units	Units	Units
	mg/L	mg/L	mg/L	mg/L

Sample Description	Stn 4 - EI	Stn 5 - EI	Stn 6 - EI
Sample Date	5/15/2023	5/15/2023	5/15/2023
Lab ID	1880383	1880384	1880385
General Chemistry	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	0.003	<0.001	0.002
	[0.003]		
	MDL	MDL	MDL
	0.001	0.001	0.001
	Units	Units	Units
	mg/L	mg/L	mg/L



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 500147

WORK ORDER RESULTS

Sample Description	NW - 1	NW - 2	NW - 3	NW - 4
Sample Date	5/22/2023	5/22/2023	5/22/2023	5/22/2023
Lab ID	1884047	1884048	1884049	1884050
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	<0.001	<0.001	<0.001	0.002
	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
	Units			Units
	mg/L			mg/L

Sample Description	NW - 5	EI - 1	EI - 2	EI - 3
Sample Date	5/22/2023	5/22/2023	5/22/2023	5/22/2023
Lab ID	1884051	1884052	1884053	1884054
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	<0.001	<0.001	<0.001	<0.001
	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
	Units			Units
	mg/L			mg/L

Sample Description	EI - 4	EI - 5
Sample Date	5/22/2023	5/22/2023
Lab ID	1884055	1884056
General Chemistry	Result	Result
Total Phosphorus (as P) (Low-Level)	<0.001	<0.001
	MDL	MDL
	0.001	0.001
	Units	Units
	mg/L	mg/L

Date of Issue: 05/26/2023 15:20

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 5



TESTMARK Laboratories Ltd.
Committed to Quality and Service

Cole-Munro Trout Farms Inc

Work Order Number: 502022

CERTIFICATE OF ANALYSIS

WORK ORDER RESULTS

Sample Description	EI - 1	EI - 2	EI - 3	EI - 4
Sample Date	6/7/2023	6/7/2023	6/7/2023	6/7/2023
Lab ID	1890655	1890656	1890657	1890658
General Chemistry	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.004 [0.004]	0.001	0.005	0.001
Sample Description	EI - 5	Result	MDL	Units
Sample Date	6/7/2023			
Lab ID	1890659			
General Chemistry	Result	MDL	MDL	Units
Total Phosphorus (as P) (Low-Level)	0.003	0.001	0.001	mg/L

LEGEND

Dates: Dates are formatted as mm/dd/yyyy throughout this report.
 MDL: Method detection limit or minimum reporting limit.
 []: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.
 Quality Control: All associated Quality Control data is available on request.
 LCL: Lower Control Limit.
 UCL: Upper Control Limit.
 QA/QCID: This is a unique reference to the quality control data set used to generate the reported value. Contact our lab for this information, as it is traceable through our LIMS.
 Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
 Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
 Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
 ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.
 Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 06/13/2023 17:16

7 Margaret Street, Garrison, ON, P3L 1E1
 Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 5



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 505030

WORK ORDER RESULTS

Sample Description	EI - 1	EI - 2	EI - 3	EI - 4
Sample Date	7/5/2023	7/5/2023	7/5/2023	7/5/2023
Lab ID	1901200	1901201	1901202	1901203
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
	Result	Result	Result	Result
	<0.001	0.001	0.003	0.004
	[<0.001]			
Sample Description	EI - 5			
Sample Date	7/5/2023			
Lab ID	1901204			
General Chemistry	Result	Units		
Total Phosphorus (as P) (Low-Level)	MDL	mg/L		
	0.001			

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.
 MDL: Method detection limit or minimum reporting limit.
 []: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.
 Quality Control: All associated Quality Control data is available on request.
 LCL: Lower Control Limit.
 UCL: Upper Control Limit.
 QA/QC ID: This is a unique reference to the quality control data set used to generate the reported value. Contact our lab for this information, as it is traceable through our LIMS.
 Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
 Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
 Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
 ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.
 Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 07/10/2023 11:00

7 Margaret Street, Garson, ON, P3L 1E1
 Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 5



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 507564

WORK ORDER RESULTS

Sample Description	EI - 1	EI - 2	EI - 3	EI - 4
Sample Date	7/26/2023	7/26/2023	7/26/2023	7/26/2023
Lab ID	1910234	1910235	1910236	1910237
General Chemistry	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	0.002	0.001
			Result	MDL
			0.005	0.002
			0.004	0.001
			Units	
			mg/L	

Sample Description	EI - 5
Sample Date	7/26/2023
Lab ID	1910238
General Chemistry	Result
Total Phosphorus (as P) (Low-Level)	0.006
	MDL
	0.001
	Units
	mg/L


LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.
 MDL: Method detection limit or minimum reporting limit.
 Quality Control: All associated Quality Control data is available on request.
 LCL: Lower Control Limit.
 UCL: Upper Control Limit.
 QA/QC ID: This is a unique reference to the quality control data set used to generate the reported value. Contact our lab for this information, as it is traceable through our LIMS.
 Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
 Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
 Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
 ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.
 Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 08/02/2023 17:00

7 Margaret Street, Garson, ON, P3L 1E1
 Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 4



CERTIFICATE OF ANALYSIS

Work Order Number: 510078

Cole-Munro Trout Farms Inc


This report has been approved by:

Brad Halvorson, B.Sc.
Laboratory Director

WORK ORDER RESULTS

Sample Description	EI - 1	EI - 2	EI - 3	EI - 4
Sample Date	8/22/2023 12:00 AM	8/22/2023 12:00 AM	8/22/2023 12:00 AM	8/22/2023 12:00 AM
Lab ID	1919526	1919527	1919528	1919529
General Chemistry	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	<0.001 [<0.001]	<0.001	<0.001	<0.001
	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001
Units				mg/L

Sample Description	EI - 5
Sample Date	8/22/2023 12:00 AM
Lab ID	1919530
General Chemistry	Result
Total Phosphorus (as P) (Low-Level)	<0.001
	MDL
	0.001
Units	mg/L



CERTIFICATE OF ANALYSIS - REVISED
Supersedes report printed: 09/21/2023 13:43

Work Order Number: 512675

Cole-Munro Trout Farms Inc
 This report has been approved by:

Brad Halvorson, B.Sc.
 Laboratory Director

WORK ORDER RESULTS

Sample Description	EI - 1	EI - 2	EI - 3	EI - 4
Sample Date	9/14/2023 12:00 AM	9/14/2023 12:00 AM	9/14/2023 12:00 AM	9/14/2023 12:00 AM
Lab ID	1928302	1928303	1928304	1928305
General Chemistry	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.002	0.001	0.004	0.002 [0.002]
Sample Description	EI - 5	Result	MDL	Units
Sample Date	9/14/2023 12:00 AM	0.004	0.001	mg/L
Lab ID	1928306			
General Chemistry	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.004	0.001	0.004	0.001



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 516254

This report has been approved by:

Brad Halvorson, B.Sc.
Laboratory Director

WORK ORDER RESULTS

Sample Description		EI - 1		EI - 2		EI - 3		EI - 4	
Sample Date		10/17/2023 12:00 AM		10/17/2023 12:00 AM		10/17/2023 12:00 AM		10/17/2023 12:00 AM	
Lab ID		1942373		1942374		1942375		1942376	
General Chemistry		Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)		0.003	0.001	0.005	0.001	0.008	0.001	0.008	0.001
Units		mg/L		mg/L		mg/L		mg/L	
Sample Description		EI - 5							
Sample Date		10/17/2023 12:00 AM							
Lab ID		1942377							
General Chemistry		Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)		<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001
Units		mg/L		mg/L		mg/L		mg/L	

Date of Issue: 10/25/2023 10:52

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 2 of 4



CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 517301

This report has been approved by:

Brad Halvorson, B.Sc.
Laboratory Director

WORK ORDER RESULTS

Sample Description	EI - 1		EI - 2		EI - 3		EI - 4	
Sample Date	10/26/2023 12:00 AM		10/26/2023 12:00 AM		10/26/2023 12:00 AM		10/26/2023 12:00 AM	
Lab ID	1946080		1946081		1946082		1946083	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.037	0.001	0.005	0.001	0.012	0.001	0.028	0.002
Sample Description	EI - 5							
Sample Date	10/26/2023 12:00 AM							
Lab ID	1946084							
General Chemistry	Result	MDL	Units					
Total Phosphorus (as P) (Low-Level)	0.007 [0.007]	0.001	mg/L					



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 517867

This report has been approved by:

Brad Halvorson, B.Sc.
Laboratory Director

WORK ORDER RESULTS

EI - 1		EI - 2		EI - 3		EI - 4	
Sample Description	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM
Sample Date	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM	10/31/2023 12:00 AM
Lab ID	1948068	1948069	1948070	1948071	1948071	1948071	1948071
General Chemistry	Result	Result	Result	Result	Result	Result	Result
Total Phosphorus (as P) (Low-Level)	<0.001	0.017	0.015	0.006	0.006	0.001	0.001
	MDL	MDL	MDL	MDL	MDL	MDL	MDL
	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

EI - 5	
Sample Description	10/31/2023 12:00 AM
Sample Date	10/31/2023 12:00 AM
Lab ID	1948072
General Chemistry	Result
Total Phosphorus (as P) (Low-Level)	0.003
	MDL
	0.001
Units	mg/L

Date of Issue: 11/08/2023 07:25

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 853-1121 Fax: (705) 853-1124 Web: www.testmark.ca

Page 2 of 4