




Figure 1: Location of Eastern Island Water Quality Monitoring Stations and cage array.

Table 2: Eastern Island Total Phosphorus Monitoring Results 2022.

Sample Date	EI-1	EI-2	EI-3	EI-4	EI-5 (ref)	EI-6 (ref)	Work Order
05/18/2022	<0.001(<0.001)	<0.001	0.003	<0.001	<0.001	0.002	463331
05/25/2022	0.004	0.003	0.003	0.003	<0.001	0.001	464158
05/31/2022	0.003	<0.001	<0.001	0.004	<0.001(<0.001)	<0.001	464635
06/08/2022	0.008	<0.001	0.002	0.004	<0.001	--	465719
06/29/2022	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001(<0.001)	468011
07/20/2022	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	471251
08/22/2022	0.002	0.003	0.003	0.005	0.002	0.002(0.003)	474386
09/20/2022	0.004	0.002	0.003	0.003	0.004	0.003	477356
10/17/2022	<0.001	0.002	0.003	0.001	<0.001	<0.001	480250
10/24/2022	<0.001	<0.001	<0.001	0.022	0.003	0.002	480946
10/31/2022	0.008	<0.001	0.002	0.004	0.004	0.005(0.005)	481739
Spring Median		0.003				0.001	
n=		12				6	
Fall Median		0.0015				0.0025	
n=		12				6	
Ice-free Median		0.002				0.001	
n=		44				21	

Results are in mg/L, MTD of 0.002mg/L

Analyses completed by Testmark Laboratories Ltd.

Appendix A: Eastern Island Temperature and Dissolved Oxygen Measurements, 2022

Sample Date: 05/18/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	8.0	12.4	0	8.2	13.2	0	8.0	12.8
1	7.7	14.0	1	8.0	13.8	1	8.0	13.7
2	7.4	14.1	2	8.0	13.4	2	7.8	13.5
3	7.2	13.5	3	7.7	13.4	3	7.4	13.4
4	6.7	13.4	4	7.2	13.4	4	7.2	13.4
5	6.6	12.6	5	6.8	13.0	5	6.8	12.8
6	6.5	12.7	6	6.8	12.7	6	6.6	12.8
7	6.4	12.3	7	6.6	12.4	7	6.5	12.6
8	6.3	12.3	8	6.4	12.5	8	6.5	12.5
9	6.3	11.2	9	6.4	12.4	9	6.5	12.3
10	6.3	11.1	10	6.4	11.6	10	6.5	12.0
11	6.3	10.4	11	6.3	11.2	11	6.4	11.4
12	6.3	9.8	12	6.3	10.4	12	6.4	10.6
13	6.3	9.8	13	6.3	9.8	13	6.3	10.1
14	6.3	9.5	14	6.3	9.8	14	6.3	9.9
15	6.0	9.4	15	6.2	9.0	15	6.2	9.4
16	6.0	9.4	16	6.0	8.6	16	6.0	9.2
17	5.8	8.1	17	6.0	8.4	17	6.0	8.9

Sample Date: 05/25/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	10.4	11.0	0	10.8	11.6	0	10.1	11.9
1	10.0	11.0	1	10.8	11.8	1	10.1	12.1
2	10.0	11.0	2	10.7	12.0	2	10.0	12.2
3	9.6	11.1	3	10.4	12.2	3	9.8	12.4
4	9.2	11.6	4	10.0	12.3	4	9.6	12.5
5	9.1	11.6	5	9.8	12.5	5	9.4	12.6
6	8.9	11.8	6	9.7	12.6	6	9.2	12.6
7	8.8	12.0	7	9.5	12.7	7	9.0	12.7
8	8.7	12.3	8	9.4	12.8	8	8.9	12.8
9	8.5	12.4	9	9.3	12.8	9	8.7	12.8
10	8.4	12.4	10	9.2	12.9	10	8.6	12.9
11	8.3	12.5	11	9.1	13.0	11	8.5	12.9
12	8.2	12.7	12	9.0	13.0	12	8.3	12.9
13	8.1	12.9	13	8.9	13.2	13	8.3	13.0
14	8.1	13.0	14	8.8	13.1	14	8.2	13.0
15	8.0	13.0	15	8.6	13.1	15	8.2	13.0
16	8.0	13.0	16	8.6	13.1	16	8.1	13.1
17	7.9	13.1	17			17	8.1	13.1
						18	8.0	13.1

Sample Date: 05/31/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	16.9	9.6	0	15.6	10.7	0	14.8	10.9
1	16.1	10.2	1	14.5	11.2	1	13.9	11.3
2	15.0	9.4	2	13.9	11.4	2	13.6	11.5
3	13.3	9.8	3	13.2	11.7	3	13.1	11.8
4	12.8	9.9	4	12.9	11.9	4	12.7	12
5	12	10.4	5	12.5	12	5	12	12.3
6	11.5	10.8	6	12	12.2	6	11.8	12.4
7	12.2	10.8	7	11.5	12.5	7	11.4	12.5
8	11.5	10.8	8	11.1	12.6	8	11.2	12.6
9	10.3	12.3	9	10.8	12.7	9	10.9	12.8
10	9.9	12.7	10	10.6	12.7	10	10.5	13
11	9.6	13.0	11	10.3	12.9	11	10.2	13
12	9.5	13.0	12	10.2	12.9	12	9.7	13.2
13	9.2	13.1	13	9.9	13	13	9.4	13.3
14	9	13.2	14	9.7	13.1	14	9.2	13.4
15	8.8	13.3	15	9	13.3	15	9	13.4
16	8.6	13.3	16	8.8	14.2	16	8.8	13.5
17	8.5	13.3	17	8.8	12.6	17	8.8	13.5
18	8.5	13.2	18	8.6	12.6	18	8.4	13.7

Sample Date: 06/08/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	14.0	10.3	0	14.4	10.5	0	14.3	10.6
1	13.8	10.3	1	13.8	10.9	1	14.1	10.9
2	13.7	10.4	2	13.6	11.2	2	13.9	11.1
3	13.4	10.6	3	13.3	11.4	3	13.6	11.3
4	13.1	10.6	4	13.1	11.6	4	13.5	11.5
5	12.8	10.9	5	12.9	11.7	5	13.3	11.7
6	12.5	11.2	6	12.8	11.8	6	13.2	11.9
7	12.3	11.3	7	12.6	11.9	7	13.1	11.6
8	12.1	11.3	8	12.6	11.9	8	13.0	11.6
9	11.9	11.7	9	12.5	12	9	13.0	12.0
10	11.7	12.0	10	12.4	12	10	12.9	12.1
11	11.5	12.3	11	12.3	12.1	11	12.6	12.1
12	11.5	12.3	12	12.2	12.1	12	12.1	12.2
13	11.4	12.4	13	12.2	12.2	13	11.5	12.5
14	11.1	12.6	14	10.8	12.6	14	11.0	12.7
15	10.9	12.6	15	10.6	12.7	15	10.6	12.9
16	10.8	12.6	16	10.3	12.8	16	10.4	12.9
17			17			17		

Sample Date: 06/22/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	17.6	9.8	0	18.0	9.8	0	19.1	9.2
1	17.5	10.7	1	17.9	10.5	1	18.7	9.2
2	17.4	10.9	2	17.8	10.7	2	17.7	9.5
3	17.3	11.1	3	17.5	11	3	17.4	10.2
4	17.1	11.3	4	17.3	11.1	4	17.2	10.6
5	17.0	11.4	5	17.2	11.2	5	17	10.5
6	16.9	11.6	6	17.1	11.4	6	16.9	10.2
7	16.9	11.6	7	17.0	11.5	7	16.8	10.2
8	16.8	11.7	8	16.9	11.6	8	16.8	10.1
9	16.8	11.8	9	16.9	11.6	9	16.7	10.1
10	16.7	11.8	10	16.8	11.5	10	16.7	10.2
11	16.7	11.9	11	16.7	11.5	11	16.7	10.4
12	16.5	11.9	12	16.7	11.6	12	16.7	10.4
13	16.4	12.0	13	16.6	11.4	13	16.6	10.5
14	16.3	12.0	14	16.5	11.4	14	16.6	10.5
15	16.2	12.0	15	16.4	11.3	15	16.5	10.4
16	16.1	12.0	16	16.1	11.4	16	16.5	10.5
17	15.9	12.0	17	15.9	11.5	17	16.2	10.4
18	15.6	11.8	18	15.7	11.6	18		
19	15.1	11.8	19	15.5	11.6	19		
20			20	15.3	11.5	20		

Sample Date: 07/19/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	22.1	8.9	0	23	9	0	23.1	9.2
1	22	9.1	1	22.8	9	1	22.8	9.4
2	21.9	9.4	2	22.8	9.6	2	22.7	9.9
3	21.7	9.6	3	22.8	9.8	3	22.7	10.2
4	21.6	9.8	4	22.4	9.8	4	21.9	10.2
5	21.4	9.9	5	22	9.8	5	21.9	10.4
6	21.3	10.1	6	21.8	9.8	6	21.9	10.2
7	21	10.2	7	21.8	9.8	7	21.9	10.2
8	20.6	10.3	8	21.6	10.2	8	21.7	10
9	20.4	10.2	9	21.5	10.2	9	21.7	10
10	20.2	9.8	10	21.2	10.2	10	21.7	10
11	19.6	9.4	11	20.9	9.8	11	21.4	9.8
12	19	9.4	12	20.9	9.8	12	21	9.6
13	18.7	9.4	13	20.5	9.8	13	20.8	9.8
14	18.4	9.3	14	20.4	9.6	14	20.2	9.8
15	18	9.3	15	20.4	9.6	15	20.2	9.6
16	17.4	9.8	16	20.5	9.8	16	20.2	9.6
17	17.1	9.8	17			17		
18			18			18		

Sample Date: 08/22/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	23.4	9.3	0	23.1	9.2	0	22.8	9.5
1	23.6	9.4	1	23.4	9.3	1	22.8	9.4
2	23.5	9.2	2	23.2	9.2	2	22.8	9.2
3	23.1	9.2	3	22.9	9.4	3	22.8	9.2
4	22.8	9.3	4	22.6	9.5	4	22.8	9.2
5	22.8	9.4	5	22.2	9.3	5	22.8	9.2
6	22.7	9.3	6	21.9	9.5	6	22.8	9.2
7	22.6	9.3	7	21.6	9.5	7	22.1	9.6
8	22.1	9.3	8	20.8	9.4	8	21.8	9.6
9	21.6	9.2	9	20.1	8.8	9	20.9	9.4
10	21	9	10	19.8	8.6	10	20.4	9.2
11	20.8	8.9	11	19.8	8.4	11	20.2	9.1
12	20.3	8.5	12	19	8.1	12	19.4	8.8
13	19.6	8.2	13	18.4	8.1	13	18.7	8.2
14	18.8	7.3	14	17.8	7.9	14	18.2	7.9
15	18.2	7.3	15	16.8	7.8	15	17.4	7.8
16	17.7	7	16	16.5	8.8	16	17.2	7.6
17			17			17		
18			18			18		

Sample Date: 09/20/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	18.8	8.8	0	20.2	8.7	0	19.4	8.9
1	18.9	8.7	1	19.8	8.9	1	19.4	8.8
2	19	8.9	2	19.7	9	2	19.4	8.8
3	19	9	3	19.6	9.1	3	19.3	9.1
4	19	9.2	4	19.5	9.2	4	19.3	9.2
5	19	8.9	5	19.4	9.3	5	19.2	9.3
6	19	9	6	19.4	9.4	6	19.2	9.4
7	19	9.1	7	19.3	9.3	7	19.2	9.5
8	19	9.2	8	19.2	9.4	8	19.2	9.5
9	19	8.8	9	19.2	9.1	9	19.1	9.5
10	18.8	9.2	10	19.1	9.3	10	19.1	9.5
11	18.6	8.8	11	18.8	9.1	11	19	9.4
12	18.4	8.5	12	18.7	9.1	12	18.8	9
13	17.9	8.1	13	18	8.6	13	17.4	7.5
14	17.3	7.7	14	17.7	8.4	14	16.5	7.5
15	16.6	6.9	15	16.7	7.9	15	15.9	7.8
16	15.7	7	16	15.9	7.6	16	15.5	7.7
17			17	15.7	7.5	17	15.2	7.8
18			18	15.5	7.4	18		

Sample Date: 10/17/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	12.5	9.4	0	12.1	9.5	0	12.5	9.5
1	12.6	9.1	1	12.2	9.7	1	12.4	9.4
2	12.7	9.2	2	12.3	9.7	2	12.3	9.2
3	12.7	9.4	3	12.3	10.0	3	12.5	9.4
4	12.7	9.4	4	12.4	10.1	4	12.7	9.4
5	12.8	9.8	5	12.6	10.4	5	12.7	9.8
6	12.8	9.8	6	12.7	10.4	6	12.7	10.1
7	12.8	9.8	7	12.7	10.5	7	12.7	10.4
8	12.8	9.4	8	12.7	10.5	8	12.7	10.5
9	12.8	9.4	9	12.7	10.7	9	12.7	10.5
10	12.8	9.6	10	12.7	10.8	10	12.7	10.7
11	12.8	9.6	11	12.7	10.8	11	12.8	10.6
12	12.8	9.8	12	12.7	10.8	12	12.8	10.6
13	12.8	10.2	13	12.7	10.8	13	12.8	10.6
14	12.8	10.5	14	12.7	10.8	14	12.8	10.6
15	12.8	10.4	15	12.7	10.8	15	12.8	10.4
16	12.8	10.2	16	12.7	10.8	16	12.8	10.4
17	12.8	10.2	17	12.7	10.8	17	12.8	10.4
18			18			18		

Sample Date: 10/24/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	12.7	9.8	0	12.5	10.1	0	12.4	10.4
1	12.7	9.8	1	12.5	10.4	1	12.4	10.2
2	12.6	9.6	2	12.5	10.4	2	12.5	10.4
3	12.6	9.6	3	12.5	10.4	3	12.5	10.4
4	12.4	10.0	4	12.5	10.4	4	12.5	10.6
5	12.4	10.4	5	12.5	10.5	5	12.5	10.6
6	12.4	10.4	6	12.5	10.6	6	12.5	140.6
7	12.4	10.6	7	12.5	10.8	7	12.5	10.7
8	12.2	10.1	8	12.5	10.6	8	12.4	10.8
9	12.2	10.1	9	12.5	10.6	9	12.4	10.8
10	12.0	10.1	10	12.3	10.6	10	12.3	10.8
11	12.0	10.1	11	12.3	10.4	11	12.3	10.6
12	12.0	10.2	12	12.2	10.3	12	12.2	10.5
13	11.9	10.2	13	12.2	10.3	13	12.2	10.5
14	11.9	10.1	14	12.0	10.3	14	12.2	10.5
15	11.8	10.0	15	11.9	10.4	15	12.2	10.5
16	11.8	10.0	16	11.9	10.4	16	12.2	10.5
17			17			17		
18			18			18		

Sample Date: 10/31/2022

EI-1			EI-5			EI-6		
Depth(m)	Temp	DO	Depth(m)	Temp	DO	Depth(m)	Temp	DO
0	12.2	10.2	0	12.4	10.2	0	12.2	9.7
1	12.2	10.2	1	12.4	10.3	1	12.2	9.8
2	12.2	9.8	2	12.4	10.3	2	12.1	10
3	12	9.8	3	12.3	10.5	3	12.1	10.2
4	12	9.8	4	12.2	10.6	4	11.9	10.2
5	12	10	5	12	10.8	5	11.8	10.2
6	12	10	6	12	11	6	11.8	10
7	12	10	7	12	11	7	11.8	10
8	12	10.4	8	11.9	10.4	8	11.7	10
9	11.9	10.6	9	11.9	10.4	9	11.7	10
10	11.9	10.8	10	11.9	10.6	10	11.7	10.1
11	11.8	10.6	11	11.8	10.8	11	11.6	10.1
12	11.8	10.2	12	11.8	10.6	12	11.6	9.8
13	11.7	10.2	13	11.8	10.6	13	11.6	9.8
14	11.7	10.2	14	11.8	10.2	14	11.6	9.6
15	11.7	10	15	11.8	10	15	11.6	9.6
16	11.7	10	16	11.8	10	16	11.6	9.6
17			17			17		
18			18			18		

Appendix B: Eastern Island Testmark Laboratories Ltd. Certificates



TESTMARK Laboratories Ltd.
Committed to Quality and Service

Cole-Munro Trout Farms Inc

Work Order Number: 463331

CERTIFICATE OF ANALYSIS

WORK ORDER RESULTS

Sample Description	E.I - 1		E.I - 2		E.I - 3		E.I - 4	
Sample Date	5/18/2022 12:00 AM		5/18/2022 12:00 AM		5/18/2022 12:00 AM		5/18/2022 12:00 AM	
Lab ID	1755491		1755492		1755493		1755494	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	<0.001 [<0.001]	0.001	<0.001	0.001	0.003	0.001	<0.001	0.001
Sample Description	E.I - 5							
Sample Date	5/18/2022 12:00 AM							
Lab ID	1755495							
General Chemistry	Result	MDL						
Total Phosphorus (as P) (Low-Level)	0.002	0.001						
		Units						
		mg/L						

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.
MDL: Method detection limit or minimum reporting limit.
[]: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.
Quality Control: All associated Quality Control data is available on request.
Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
ICPMS Ductfall Insoluble: The ICPMS Ductfall Insoluble Portion method analyzes only the particulate matter from the Ductfall Sampler which is retained on the analysis filter during the Ductfall method.



TESTMARK Laboratories Ltd.
Committed to Quality and Service

Cole-Munro Trout Farms Inc

CERTIFICATE OF ANALYSIS

Work Order Number: 464158

WORK ORDER RESULTS

Sample Description	EJ - 1		EJ - 2		EJ - 3		EJ - 4	
Sample Date	5/25/2022 12:00 AM		5/25/2022 12:00 AM		5/25/2022 12:00 AM		5/25/2022 12:00 AM	
Lab ID	1758478		1758479		1758480		1758481	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.004	0.001	0.003	0.001	0.003	0.001	0.003	0.001
Units	mg/L							
Sample Description	EJ - 5		EJ - 6					
Sample Date	5/25/2022 12:00 AM		5/25/2022 12:00 AM					
Lab ID	1758482		1758483					
General Chemistry	Result	MDL	Result	MDL				
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	0.001	0.001	Units			
Units					mg/L			

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.
MDL: Method detection limit or minimum reporting limit.
Quality Control: All associated Quality Control data is available on request.
Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 464635

WORK ORDER RESULTS

Sample Description		Eastern 1 5/31/2022 12:00 AM		Eastern 2 5/31/2022 12:00 AM		Eastern 3 5/31/2022 12:00 AM		Eastern 4 5/31/2022 12:00 AM	
Sample Date		1780225		1780226		1780227		1780228	
Lab ID									
General Chemistry		Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)		0.003	0.001	<0.001	0.001	<0.001	0.001	0.004	0.001
Units									
mg/L									
Sample Description		Eastern 5 5/31/2022 12:00 AM		Eastern 6 5/31/2022 12:00 AM					
Sample Date		1780229		1780230					
Lab ID									
General Chemistry		Result	MDL	Result	MDL				
Total Phosphorus (as P) (Low-Level)		<0.001 [<0.001]	0.001	<0.001	0.001				
Units									
mg/L									

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

[]: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Date of Issue: 06/09/2022 14:58

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 465719

WORK ORDER RESULTS

Sample Description	EI 1		EI 2		EI 3		EI 4	
Sample Date	6/8/2022 12:00 AM		6/8/2022 12:00 AM		6/8/2022 12:00 AM		6/8/2022 12:00 AM	
Lab ID	1764066		1764067		1764068		1764069	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.008	0.001	<0.001	0.001	0.002	0.001	0.004	0.001
Sample Description	EI 5							
Sample Date	6/8/2022 12:00 AM							
Lab ID	1764070							
General Chemistry	Result	MDL	Units					
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	mg/L					

LEGEND

Dates: Dates are formatted as mm/dd/yyyy throughout this report.

MDL: Method detection limit or minimum reporting limit.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Date of Issue: 06/15/2022 14:17

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 653-1121 Fax: (705) 653-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.
Committed to Quality and Service

Cole-Munro Trout Farms Inc

CERTIFICATE OF ANALYSIS

Work Order Number: 468011

WORK ORDER RESULTS

Sample Description	Eastem 1		Eastem 2		Eastem 3		Eastem 4	
Sample Date	6/29/2022 12:00 AM		6/29/2022 12:00 AM		6/29/2022 12:00 AM		6/29/2022 12:00 AM	
Lab ID	1771972		1771973		1771974		1771975	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001
Sample Description	Eastem 5		Eastem 6					
Sample Date	6/29/2022 12:00 AM		6/29/2022 12:00 AM					
Lab ID	1771976		1771977					
General Chemistry	Result	MDL	Result	MDL				Units
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001 [<0.001]	0.001				mg/L

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

[]: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Date of Issue: 07/07/2022 15:56

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 471251

WORK ORDER RESULTS

Sample Description	Eastern 1 7/20/2022 12:00 AM		Eastern 2 7/20/2022 12:00 AM		Eastern 3 7/20/2022 12:00 AM		Eastern 4 7/20/2022 12:00 AM	
Sample Date								
Lab ID	1779806		1779807		1779808		1779809	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001
Units	mg/L							
Sample Description	Eastern 5 7/20/2022 12:00 AM		Eastern 6 7/20/2022 12:00 AM					
Sample Date								
Lab ID	1779810		1779811					
General Chemistry	Result	MDL	Result	MDL	Units			
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001	0.001	mg/L			

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 07/27/2022 15:52

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 474386

WORK ORDER RESULTS

Sample Description	Eastern 1		Eastern 2		Eastern 3		Eastern 4	
	8/22/2022 12:00 AM		8/22/2022 12:00 AM		8/22/2022 12:00 AM		8/22/2022 12:00 AM	
	1791228		1791229		1791230		1791231	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.002	0.001	0.003	0.001	0.003	0.001	0.005	0.001
Units	mg/L							
Sample Description	Eastern 5		Eastern 6					
	8/22/2022 12:00 AM		8/22/2022 12:00 AM					
	1791232		1791233					
General Chemistry	Result	MDL	Result	MDL	Units			
Total Phosphorus (as P) (Low-Level)	0.002	0.001	0.002 [0.003]	0.001	mg/L			

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

[]: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 08/26/2022 16:02

7 Margaret Street, Garrison, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.
Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 477356

WORK ORDER RESULTS

Sample Description	Eastern 1 9/20/2022 12:00 AM 1801914		Eastern 2 9/20/2022 12:00 AM 1801915		Eastern 3 9/20/2022 12:00 AM 1801916		Eastern 4 9/20/2022 12:00 AM 1801917		Units
Sample Date	9/20/2022 12:00 AM		9/20/2022 12:00 AM		9/20/2022 12:00 AM		9/20/2022 12:00 AM		mg/L
Lab ID	1801914		1801915		1801916		1801917		
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL	Units
Total Phosphorus (as P) (Low-Level)	0.004	0.001	0.002	0.001	0.003	0.001	0.003	0.001	mg/L
Sample Description	Eastern 5 9/20/2022 12:00 AM 1801918		Eastern 6 9/20/2022 12:00 AM 1801919						Units
Sample Date	9/20/2022 12:00 AM		9/20/2022 12:00 AM						mg/L
Lab ID	1801918		1801919						
General Chemistry	Result	MDL	Result	MDL					Units
Total Phosphorus (as P) (Low-Level)	0.004	0.001	0.003	0.001					mg/L

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.
MDL: Method detection limit or minimum reporting limit.
Quality Control: All associated Quality Control data is available on request.
Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.
Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.
Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.
ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.
Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 09/28/2022 16:04

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 693-1121 Fax: (705) 693-1124 Web: www.testmark.ca

Page 3 of 3



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 480250

WORK ORDER RESULTS

Sample Description		Eastern 1		Eastern 2		Eastern 3		Eastern 4	
Sample Date		10/17/2022 12:00 AM		10/17/2022 12:00 AM		10/17/2022 12:00 AM		10/17/2022 12:00 AM	
Lab ID		1813655		1813656		1813657		1813658	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL	Units
	Total Phosphorus (as P) (Low-Level)	<0.001	0.001	0.002	0.001	0.003	0.001	0.001	mg/L
Sample Description		Eastern 5		Eastern 6					
Sample Date		10/17/2022 12:00 AM		10/17/2022 12:00 AM					
Lab ID		1813659		1813660					
General Chemistry	Result	MDL	Result	MDL	Units				
	Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001	0.001	mg/L			



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS - REVISED

Supersedes report printed: 11/02/2022 13:35

Cole-Munro Trout Farms Inc

Work Order Number: 480946

WORK ORDER RESULTS

Sample Description	Eastern 1		Eastern 2		Eastern 3		Eastern 4	
Sample Date	10/24/2022 12:00 AM		10/24/2022 12:00 AM		10/24/2022 12:00 AM		10/24/2022 12:00 AM	
Lab ID	1816488		1816489		1816490		1816491	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001
Sample Description	Eastern 5		Eastern 6					
Sample Date	10/24/2022 12:00 AM		10/24/2022 12:00 AM					
Lab ID	1816492		1816493					
General Chemistry	Result	MDL	Result	MDL	Units			
Total Phosphorus (as P) (Low-Level)	0.003	0.001	0.002	0.001	mg/L			

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Cole-Munro Trout Farms Inc

Work Order Number: 481739

WORK ORDER RESULTS

Sample Description	Eastern 1		Eastern 2		Eastern 3		Eastern 4	
Sample Date	10/31/2022 12:00 AM		10/31/2022 12:00 AM		10/31/2022 12:00 AM		10/31/2022 12:00 AM	
Lab ID	1820199		1820200		1820201		1820202	
General Chemistry	Result	MDL	Result	MDL	Result	MDL	Result	MDL
Total Phosphorus (as P) (Low-Level)	0.008	0.001	<0.001	0.001	0.002	0.001	0.004	0.001
								mg/L
Sample Description	Eastern 5		Eastern 6					
Sample Date	10/31/2022 12:00 AM		10/31/2022 12:00 AM					
Lab ID	1820203		1820204					
General Chemistry	Result	MDL	Result	MDL	Units			
Total Phosphorus (as P) (Low-Level)	0.004	0.001	0.005 [0.005]	0.001	mg/L			

LEGEND

Dates: Dates are formatted as mm/dd/yyyy throughout this report.

MDL: Method detection limit or minimum reporting limit.

[]: Results for laboratory replicates are shown in square brackets immediately below the associated sample result for ease of comparison.

Quality Control: All associated Quality Control data is available on request.

Field Data: Reports containing Field Parameters represent data that has been collected and provided by the client. Testmark is not responsible for the validity of this data which may be used in subsequent calculations.

Sample Condition Deviations: A noted sample condition deviation may affect the validity of the result. Results apply to the sample(s) as received.

Reproduction of Report: Report shall not be reproduced, except in full, without the approval of Testmark Laboratories Ltd.

ICPMS Dustfall Insoluble: The ICPMS Dustfall Insoluble Portion method analyzes only the particulate matter from the Dustfall Sampler which is retained on the analysis filter during the Dustfall method.

Regulation Comparisons: Disclaimer: Please note that regulation criteria are provided for comparative purposes, however the onus on ensuring the validity of this comparison rests with the client.

Date of Issue: 11/04/2022 09:36

7 Margaret Street, Garson, ON, P3L 1E1
Phone: (705) 653-1121 Fax: (705) 653-1124 Web: www.testmark.ca

Page 3 of 3